

**SCOPING DOCUMENT 1**

**BLUE LAKE HYDROELECTRIC PROJECT EXPANSION**

FERC No. 2230

Prepared By:

**City and Borough of Sitka Electric Department**

105 Jarvis Street  
Sitka, AK, 98358

**November, 2008**

## TABLE OF CONTENTS

<b>LIST OF TABLES .....</b>	<b>iii</b>
<b>LIST OF FIGURES .....</b>	<b>iii</b>
<b>INTRODUCTION.....</b>	<b>1</b>
<b>INTRODUCTION and BACKGROUND.....</b>	<b>1</b>
<b>NEED for ACTION .....</b>	<b>2</b>
<b>APPLICANT INFORMATION .....</b>	<b>2</b>
<b>PROJECT LICENSING STATUS.....</b>	<b>4</b>
<b>ISSUANCE OF NEW LICENSE.....</b>	<b>4</b>
<b>ALTERNATIVE LICENSING PROCESS .....</b>	<b>4</b>
<b>LICENSE AMENDMENT and CONSTRUCTION SCHEDULE.....</b>	<b>4</b>
<b>THE SCOPING PROCESS .....</b>	<b>5</b>
<b>PURPOSE OF SCOPING .....</b>	<b>5</b>
<b>SCOPING STEPS .....</b>	<b>5</b>
<b>DATE and TIME OF MEETINGS .....</b>	<b>6</b>
<b>PROCEDURES for SUBMITTING COMMENT .....</b>	<b>6</b>
<b>REQUEST FOR INFORMATION .....</b>	<b>7</b>
<b>PROPOSED ACTION and ALTERNATIVES.....</b>	<b>7</b>
<b>DESCRIPTION of the EXISTING PROJECT .....</b>	<b>8</b>
<b>PROJECT LANDS.....</b>	<b>14</b>
<b>FEATURES EXPECTED TO CHANGE .....</b>	<b>15</b>
<b>NEW POWERHOUSE and TURBINES .....</b>	<b>15</b>

Water Delivery to New Powerhouse.....	15
Surge Tank .....	15
Switchyard.....	15
<b>PROPOSED DAM RAISING .....</b>	<b>18</b>
<b>PROJECT OPERATION.....</b>	<b>21</b>
ALTERNATIVE(S) EVALUATED BUT ELIMINATED FROM FURTHER CONSIDERATION .....	21
<b>ENVIRONMENTAL RESOURCES, ISSUES and RECOMMENDATIONS .....</b>	<b>23</b>
<b>AFFECTED ENVIRONMENT .....</b>	<b>23</b>
Description of the Locale.....	23
Geology and Soils .....	24
Water Resources .....	25
Blue Lake and Sawmill Creek Water Rights .....	30
Fish and Aquatic Resources.....	31
Wildlife and Botanical Resources.....	35
Wetlands, Riparian, And Littoral Habitat .....	36
Recreation And Land Use .....	36
Land Use Within/Adjacent to Project Boundary.....	39
Cultural Resources .....	39
Socio-Economic Resources.....	39
Scenic and Aesthetic Resources .....	41
Threatened and Endangered Species .....	41
Subsistence Resources .....	42
<b>ENVIRONMENTAL ISSUES AND STUDIES.....</b>	<b>43</b>
Fisheries and Aquatic Resources Issues.....	43
Wildlife.....	45
Botanical Resources .....	46
Water Quantity .....	47
<i>Water Quality</i> .....	47
Geology and Soils .....	48
<i>Cultural Resources</i> .....	48
<i>Scenic and Aesthetic Resources</i> .....	49
Socioeconomics.....	49
Threatened and Endangered Species.....	50
Subsistence Resources .....	50

<b>APPLICABLE COMPREHENSIVE PLANS .....</b>	<b>51</b>
<b>REFERENCES.....</b>	<b>52</b>
<b>PARTICIPANT LIST.....</b>	<b>54</b>

**LIST OF TABLES**

<b>Table 1. Land Descriptions of Blue Lake Project Features .....</b>	<b>14</b>
<b>Table 2. Potential Energy and Inundated Area for Dam Height of El 425 .....</b>	<b>21</b>
<b>Table 3. Representative Concentrations Of Various Blue Lake Organic And Inorganic Contaminants .....</b>	<b>25</b>
<b>Table 4. Maximum and Minimum Average Daily Flows in Sawmill Creek .....</b>	<b>27</b>
<b>Table 5 . Current water rights relating to Blue Lake Project .....</b>	<b>30</b>
<b>Table 6. Sawmill Creek Reach Numbering .....</b>	<b>32</b>
<b>Table 7. Estimated Total Subsistence Harvests of Wild Resources .....</b>	<b>43</b>

**LIST OF FIGURES**

<b>Figure 1. City of Sitka Electrical Load Forecast.....</b>	<b>3</b>
<b>Figure 2. Blue Lake Project Area Map.....</b>	<b>9</b>
<b>Figure 3. Blue Lake Project Features .....</b>	<b>10</b>
<b>Figure 4. Blue Lake Project Power Conduit Schematic.....</b>	<b>11</b>
<b>Figure 5. Blue Lake Generating Unit.....</b>	<b>13</b>
<b>Figure 6. Expansion New Powerhouse Site Plan.....</b>	<b>16</b>
<b>Figure 7. Proposed Surge Tank Profile .....</b>	<b>17</b>
<b>Figure 8. Elevation View of Dam Area .....</b>	<b>19</b>

**Figure 9. Plan View of Dam Intake Area.....20**

**Figure 10. Plan View of Blue Lake Inundation.....22**

**Figure 11. Composite Blue Lake Water Temperatures .....26**

**Figure 12. Sawmill Creek Pre-Project Flow Duration Curve .....28**

**Figure 13. Sawmill Creek Pre-Project Monthly Flows .....29**

**Figure 14. Sawmill Mill Creek Temperatures.....29**

**Figure 15. Blue Lake Project Land Use Map.....40**

## **SCOPING DOCUMENT 1**

### **BLUE LAKE HYDROELECTRIC PROJECT EXPANSION**

FERC No. 2230

**City and Borough of Sitka Electric Department**

Sitka, AK

September, 2008

### **INTRODUCTION AND BACKGROUND**

Recent energy needs analyses conducted by the City and Borough of Sitka Electric Department (“City”) have shown that, in order to assure continued delivery of low cost electrical power in the face of rising energy needs in Sitka, it must expand its electrical generating base. Among other alternatives, the City is examining expansion of their Blue Lake hydroelectric project [“Project”, Federal Energy Regulatory Commission (FERC) No. 2230] near Sitka, Alaska. The primary actions of the Project expansion would be: 1) installing a new powerhouse and two new, larger, generating turbines near the existing Project powerhouse (the existing turbines would be removed); and 2) raising the height of the Project dam. Together, these actions would result in more efficient use of Blue Lake and Sawmill Creek water resources and a significant gain in electrical generation potential.

The powerhouse/turbine replacement component is referred to in this document as the “New Powerhouse” and raising the Project dam is referred to as the “Dam Raise”. Collectively, these actions and their related infrastructure and construction are referred to as the “Blue Lake Project Expansion”, or simply “Expansion”.

Under FERC regulations, the Expansion would require a “Capacity-Related” amendment to the existing FERC license. FERC regulations require the City to complete an amendment application process involving environmental, engineering and economic studies and analyses. FERC regulations also require that the City consult with a list of Stakeholders, including state and federal resource agencies, affected tribal entities, non-governmental organizations (NGO’s), interest groups and the public. This SD1 is one of a series of documents required to in part fulfill FERC amendment application requirements.

## **NEED for ACTION**

The City's recent electrical load forecasts show a marked increase in electrical demand in the near future (Figure 1). Two primary factors have driven this increase: First, fuel costs in Sitka over the past four years have nearly tripled, making electric heating economically preferable to oil heating and driving up electrical demand in locations with a choice between oil-based and electrical heat. Second, recently-constructed high energy-need industries in Sitka have added to overall electrical demand. These load increases, if met only by the City's existing electric generation capacity, would require an increase in expensive and polluting diesel generation within a few years unless hydroelectric generating capacity is increased. Key to the City's planning is continued preference for hydroelectric generation to assure lower electrical rates over time and increased environmental acceptability when compared to use of diesel fuel, the only other current generation alternative.

The City has explored various hydroelectric generation alternatives, including the Lake Diana hydro project (FERC No. 12716-001). The Lake Diana Project, owing to its location in an existing wilderness area, has proven unfeasible. Other hydroelectric proposals are under evaluation, but due to development schedules and costs they cannot be available in time to meet Sitka's immediate needs.

Engineering studies have shown that the Blue Lake Expansion, as proposed in this document, would generate energy equal to or exceeding that expected from the Lake Diana Project.

## **APPLICANT INFORMATION**

The exact name, business address and telephone number of the Licensee is:


City & Borough of Sitka  
100 Lincoln Street  
Sitka, Alaska, 99835  
Phone: 907-747-3294

The exact name, business address and contact numbers of the person authorized to act as agent for the Licensee is:

City & Borough of Sitka, Electric Department  
Attn: Charles Walls, Utility Director  
105 Jarvis Street  
Sitka, Alaska 99835  
Phone: 907-747-1870  
Fax: 907-747-3208

# Sitka's Electric Energy Requirements and Resources (1973-2030)

September 13, 2008



**Figure 1. City of Sitka Electrical Load Forecast**

## **PROJECT LICENSING STATUS**

### **ISSUANCE of NEW LICENSE**

The original 50-year Blue Lake Project license was issued by FERC in March of 1958 and expired in March of 2008. The FERC issued a new license for the Project effective March 31, 2008, following an extensive relicensing process. The new license reflected no change in general Project configuration or operation, but Articles to the license, based on extensive Stakeholder consultation during relicensing, required several actions by the City.

Proposals for the new license did not include significant changes to the Blue Lake Project design or operation because at the time the relicensing process began and throughout most of the relicensing process, the fuel and load-related conditions described above did not exist. Only after the relicensing process was nearly complete did it become apparent that additional hydroelectric generation would be necessary.

### **ALTERNATIVE LICENSING PROCESS**

Under an amendment of the Federal Power Act (FPA), licensees may elect to use the Traditional Licensing Approach or the Alternative Licensing Procedure (ALP). Under the Traditional Approach, all activities and documents required under the National Environmental Policy Act (NEPA) are conducted by the FERC or their contractor after acceptance of the Application for new license. This FERC action may take as long as two years to complete. Under the ALP, the licensee may conduct NEPA Scoping (the public participation process to solicit comments on environmental issues) and may prepare a Preliminary Draft Environmental Assessment (PDEA) (first in a series of EA's) prior to submittal of the Application.

The City applied to FERC for use of ALP by letter dated March 11, 2008, and FERC authorized use of the ALP by letter dated Sept 2, 2008, after gaining Stakeholder approval of process use and a required Communications Protocol.

### **LICENSE AMENDMENT and CONSTRUCTION SCHEDULE**

The City intends to proceed as quickly as possible toward completion of the Expansion. Because of the extensive information base available through the recent Project relicensing, an accelerated schedule is possible.

Generally, environmental studies for the draft license amendment will be completed in fall, 2009, with certain specific exceptions. This completion will allow distribution of the Draft Amendment Application (DAA) in summer, 2009. After the required 60-day review of the DAA, the City will continue to refine project design through more advanced engineering analyses during the second half of 2009 and early 2010. Also during this time period the City will conduct Stakeholder negotiations on terms and conditions which will become Articles to the

amended license. The Final Amendment Application (FAA) is scheduled to be submitted to the FERC in spring, 2010.

After FERC review and acceptance of the FAA (generally completed in about 3-4 months) the FERC will notice the Application for Amendment in the Federal Register and request terms and conditions from Stakeholders. The Commission is expected to issue the Amendment in summer, 2011. Construction is usually authorized to begin within 6 months of Amendment issuance.

## **THE SCOPING PROCESS**

### **PURPOSE OF SCOPING**

The Scoping process addresses regulatory requirements (18 CFR Subchapter W-Revised General Rules, Part 380) for implementing the Scoping component of the National Environmental Policy Act (NEPA) of 1969. The primary purpose of the Scoping process is to solicit input from Stakeholders on development-related environmental impact issues.

The purposes of the Scoping process are to:

- Identify important environmental issues related to the proposed Project action;
- Identify reasonable alternatives that should be evaluated in the Environmental Assessment (EA);
- Determine the scope and depth of analysis for Project purposes and environmental issues identified for evaluation in the Environmental Assessment; and
- Identify issues that do not require detailed analysis.

### **SCOPING STEPS**

Under the ALP, the applicant conducts Scoping in collaboration with the FERC. Scoping requirements include 1) Scoping Document 1 (SD1); 2) a public Scoping meeting; and 3) revision of SD1 into Scoping Document 2 (SD2).

The City will revise SD1 according to comments on SD1 and from the Scoping meeting proceedings. Addressing the comments and using additional information received, the City will issue SD2 which will outline the results of the Scoping process and provide the framework for issues to be addressed in the Preliminary Draft Environmental Assessment (PDEA), to be prepared by the City with agency review and under FERC guidance. A copy of SD2, including a summary of comments and input received during the Scoping process will be distributed to the Participant list.

## **DATE AND TIME of SCOPING MEETING and SITE VISIT**

### **Scoping Meeting**

In addition to written comments solicited by the SD1, the City will hold a Scoping Meeting to discuss issues and to solicit oral comments and viewpoints from meeting participants. The Scoping Meeting is an important part of the NEPA process. All interested individuals, organizations, and agencies are invited to attend the meeting. The meeting time and place is as follows:

**Date: December 11, 2008**  
**Place: Centennial Hall, Sitka**  
**Time: 7:00 PM**

The Scoping meeting will be professionally transcribed or videotaped, and all statements (oral and written) will become part of the public record for the Project relicensing. Individuals participating in the meetings will be asked to clearly identify themselves for the record. Interested parties who choose not to participate or who are unable to attend either Scoping meeting may submit written comments or statements until February 11, 2009, that will become part of the public record and the official Project file.

### **Site Visit**

A visit to the Blue Lake Project site is intended to give participants first-hand view of the Project facilities and operations. The time and location of the site visit is as follows:

**Date: December 11, 2008**  
**Place: Meet at Blue Lake Project Powerhouse**  
**Time: 8:30 AM**

Those wishing to attend the site visit should notify Dean Orbison at the Project contact address and number(s) below at least 3 days prior to December 11. You may also sign up for the site visit at the Scoping meeting.

## **PROCEDURES for SUBMITTING WRITTEN COMMENTS**

Written comments must be sent to the FERC address below within 60 days after the Scoping meeting, or by February 11, 2009. To file in writing to the FERC you must send an original and eight (8) copies of your comments to the following address:

The Secretary  
Federal Energy Regulatory Commission  
888 First Street  
Washington, D.C. 20426

You may also file your comments via email using FERC's "efiling" facility. This is a much more efficient process and can be used for most subsequent filing of comments or other material on this project. To efile comments, log on to "ferc.gov" and follow the links to "efiling". If you have questions on the efilng process, please contact Anji Russell, Electric Department administrative assistant, at 907-747-1882, or via email at: [anjulie@cityofsitka.com](mailto:anjulie@cityofsitka.com).

**The cover page of your comments must contain in the Subject line the following (without quotes):**

**"Scoping Comments, SD1 and Scoping Meeting, Blue Lake Project (FERC No. 2230) Expansion Amendment Process".**

Finally, we would appreciate your emailing or direct mailing your comments to the City as well, at the following address:

City & Borough of Sitka, Electric Department  
Attn: Dean Orbison, Engineering Manager  
105 Jarvis Street  
Sitka, Alaska 99835  
Phone: 907-747-1827  
Fax: 907-747-3208  
e-mail: [deano@cityofsitka.com](mailto:deano@cityofsitka.com)

## **REQUEST FOR INFORMATION**

An important aspect of Scoping is information gathering. Participants are asked to provide, either by comment at the Scoping meeting or in separate written material or contact with the City, any information which they believe might add to the existing background on:

- Natural resources in the Project area, including fish, wildlife, vegetation, and water resources;
- Cultural resources in the general vicinity and Project area, including Native American use, historic use or development sites, settlements or artifacts;
- Socio-economic resources in the greater Sitka area and on Baranof island, to include any applicable land-use plans, property status or other relevant facts.

Any information contributed as part of the relicensing will be treated with sensitivity to private property, tribal and spiritual values, and applicable access restrictions.

## **PROPOSED ACTION and ALTERNATIVES**

In the following sections we describe the existing Blue Lake Project features and those features expected to change as a result of the expansion. Throughout this document, the Project features are discussed relative to their Stream Mile (SM), or the centerline distance on Sawmill Creek upstream from the Creek's mouth at tidewater. Reservoir and stream directions (left or right) are

looking downstream. Elevations are referenced as height in feet above (+) or below (-, minus) mean low sea level, denoted by the term “El”.

## **DESCRIPTION OF EXISTING PROJECT**

The Blue Lake Project is located approximately 5 miles east of the City of Sitka, Alaska, on Sawmill Creek, formerly the Medvetche River (Figure 2). The Project consists of: the dam, a submerged intake structure, a power conduit, three powerhouses, a switchyard and a primary and two secondary transmission lines (Figure 3).

### **Dam**

Located at SM 2.31 on Sawmill Creek, the existing concrete arch dam is 211 ft high with a base width of 25 ft and a crest width of 256 ft. The 140 ft wide spillway at El 342 is centrally located in the dam, and is sized to discharge 14,000 cubic feet per second (cfs). A release valve, installed at the base of the dam, is used to release water when the reservoir is below the spillway elevation. The valve capacity varies between 450 cfs and 650 cfs depending on lake level. A natural plunge pool is located downstream of the dam, to dissipate energy from the spillway discharge.

### **Reservoir**

Blue Lake Reservoir was created when the dam raised the natural Blue Lake water surface from El 208 to El 342 and increased the lake surface area from 490 to 1,225 surface acres. Blue Lake is 3.25 mi long and 0.63 mi in average width. The deepest point is at El minus 126 at a depth of 468 feet below the lake surface at spill elevation. The reservoir has a gross storage capacity of 145,200 acre/feet (af) and a usable storage of 102,200 af at spill level. A submerged concrete intake structure is located approximately 400 feet north of the dam at El 210.


### **Power Conduit**

A 7,110 ft. long power conduit consists of an upper tunnel with an unlined, 11.5 ft. diameter modified horseshoe cross-section extending 1,500 feet from the intake structure to the upper penstock on the right side of Sawmill Creek (Figure 4). The upper penstock, an 84 in. diameter, 460 ft. long, steel pipe crosses Sawmill Creek supported on concrete piers and enters the lower tunnel on the stream's left side. The 4,650 ft. long, 10 ft. diameter lower tunnel is unlined and extends to the lower penstock.





**Figure 3. Blue Lake Project Features**



**Figure 4. Blue Lake Project Power Conduit Schematic**

The lower penstock, an 84 in. diameter, 500 ft. long, steel pipe, has two taps immediately below the lower tunnel portal. A 36 in. tap supplies water to the Pulp Mill Feeder Unit (described below) and a 24 in. tap supplies water to the Sawmill Cove Industrial Park (SCIP), site of the former Alaska Pulp Company (APC) mill. Approximately 90 feet below these two pipes is a 20 in. tap (the “water supply tap”) leading into the adjacent water treatment plant for municipal water supply.

## **Project Powerhouses**

Project power is generated by turbines in three separate powerhouses: 1) the Blue Lake Unit (BLU); 2) the Fish Valve Unit (FVU) and 3) the Pulp Mill Feeder Unit (PMFU).

The BLU is the primary generating unit for the Project. The other two powerhouses provide additional generation capacity, as described in detail below.

### ***BLU***


The Blue Lake Unit houses the primary Project generating units. It is located on the left bank of Sawmill Creek at SM 0.32 and is a 35 ft. X 70 ft. building with steel superstructure, precast walls and concrete foundation structure. The powerhouse contains two horizontal shaft Francis turbines each rated at 3000 kilowatts (kW) (Figure 5). The turbines discharge water into the approximately 150 ft. long tailrace which carries water from the turbines to Sawmill Creek.

The Blue Lake Switchyard, located adjacent to the powerhouse, receives generation energy from the Blue Lake powerhouse, the Fish Valve Unit and the Pulp Mill Feeder Unit (described below). The switchyard includes a 12.47/4.16 kV transformer bank and a total of seven 2500 kVA single phase, 4.16/69 kV transformers, with associated bus-work and disconnect switches. Power from the Green Lake Project, FERC No. 2818, another hydroelectric facility owned by the City of Sitka, is also transmitted to the Blue Lake switchyard at 69 kV.

By FERC Order Amending License dated September 6, 1991, the Project was modified to include two additional generating units. These were:

### ***FVU***

The FVU, located at SM 1.62 (about 1900 ft. downstream of the dam) generates power from flows released for instream purposes. An automatic bypass valve opens when the FVU is tripped off-line to maintain the required flow of 50-70 cfs in the stream at all times. A single Francis turbine drives a generator rated at 670 kW.



**Figure 5. Blue Lake Generating Unit (BLU)**

***PMFU***

The 870 kW PMFU generates power from the water supply to the former Alaska Pulp Corporation (APC) filter plant. Regular PMFU operation was discontinued in 1993 because of shutdown of the APC mill. The unit was returned to intermittent service in August, 2003.

**Transmission Lines**

***Blue Lake Transmission Line***

The 69 kV Blue Lake Project transmission line (the Project's primary transmission line) extends 5 mi. from the Blue Lake Switchyard to the Jarvis Street and Marine Street substations in Sitka. The transmission line crosses lands administered by the U.S. Forest Service, the State of Alaska, the City of Sitka, and private land owners.

### ***PMFU Transmission Line***

The 4.16 kV PMFU transmission line extends 470 ft. from the PMFU to the Blue Lake Powerhouse.

### ***FVU Transmission Line***

The 12.47 kV FVU transmission line extends from the FVU 7,700 ft. to the Blue Lake switchyard where it is transformed to 4.16 kV and connected to the main generation bus. The first 1,400 feet of the transmission line through the U.S. Forest Service Sawmill Creek recreation area is underground. The remaining portion is overhead.

### **Access Roads**

Primary access to the Project dam from Sawmill Creek Road is via the 2.18 mile-long USFS road No. 5755 (Blue Lake Road). Access to the FVU is via USFS road No. 5755 (the Sawmill Creek Campground access road) which branches from road NO. 5755. Access to the BLU and the PMFU is via a short licensee-owned road connecting to Sawmill Creek Road at mile 5.5.

### **PROJECT LANDS**

The existing facilities of the Blue Lake Project occupy a total of 1784.3 acres, consisting of 1670.3 acres of U.S. lands administered by the Forest Service and 114.0 acres of non- federal lands.

The project lies within U.S. Geological Survey Sitka A-4 and A-5 Quadrangle maps, within the land descriptions presented in Table 1.

**Table 1. Land Descriptions of Blue Lake Project Features.**

<b>Project Features</b>	<b>Map Locations</b>
Dam, Spillway and Intake Structure	Section 35 of T55S, R64E, Copper River Meridian.
Power Conduit	Sections 34 and 35 of T55S, R64E, Copper River Meridian.
Fish Valve Unit	Section 34 of T55S, R64E, Copper River Meridian.
Pulp Mill Feeder Unit	Section 34 of T55S, R64E, Copper River Meridian.
Blue Lake Powerhouse	Section 34 of T55S, R64E, Copper River Meridian.

Primary Transmission Line	Section 33 & 34 of T55S, R64E, Copper River Meridian; Section 4, 5 and 6 of T56S, R64E, Copper River Meridian; Section 1 of T56S, R63E, Copper River Meridian; Section 35 & 36 of T55S, R63E, Copper River Meridian.
---------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**FEATURES EXPECTED to CHANGE or be ADDED UNDER BLUE LAKE PROJECT EXPANSION**

**New Powerhouse and Turbines**

The current proposal is to replace the existing BLU powerhouse and two generators with a new powerhouse and two new generators. The new powerhouse, approximately 60 by 100 feet in area and 40 feet tall, would be located on Sawmill Creek’s left bank about 50 yards downstream from the existing BLU powerhouse (Figure 6), (green is an existing feature, red is a proposed feature). Exact plans for the decommissioning of the existing powerhouse and generators have not been developed at this time.

The new powerhouse would house two new Francis turbine-generators with installed capacities of approximately 6 MW and 10 MW. The turbines would release water into an afterbay and then into Sawmill Creek via a tailrace similar to that at the existing powerhouse.

**Water Delivery to New Powerhouse**


The new powerhouse would require changes in the existing water delivery system. The existing lower penstock would bifurcate at the lower portal into a new 9.0 ft diameter penstock segment about 400 feet upstream from the new powerhouse (See Figure 6).

**Surge Tank**

An underground 30-foot diameter surge tank would be constructed near the lower portal (Figure 7). The surge tank would be vented to the surface at about El 470. The surge tank would be necessary to decrease water pressure in the power conduit resulting from load rejection and a consequent pressure spike which might damage the power conduit and generating equipment. The surge tank would allow system operation at a higher average pressure and would improve the electrical frequency response of the Blue Lake Project.

**Switchyard**

A new switchyard would be constructed in the location of the existing switchyard next to the existing powerhouse (See Figure 6). The switchyard would transform the generation voltage (probably 13.8 kV) to transmission voltage (69kV) and would connect to the existing transmission line from the Green Lake powerhouse.



**Figure 6. Expansion New Powerhouse Site Plan**




Figure 7. Proposed Surge Tank Profile

## **Proposed Dam Raising**

### ***Dam Height Selection***

Preliminary geologic and engineering evaluations have suggested that the existing dam could be raised to El 425, (a raise of 83 feet above the existing spillway elevation) and that the existing dam would be competent to serve as the base of any dam structure rising to that height. While a dam height of El 425 appears to be at the geologic limit of the Sawmill Creek canyon, more detailed site-specific investigations will be necessary to exactly determine geologic constraints on ultimate dam height.

It is the city's goal to raise the dam to the highest structurally feasible level because each foot of increased dam height would generate an additional 415 megawatt/hours per year (MWh/yr) of electricity. A dam height of El 425 would increase the Blue Lake Project average annual generation by 54%


Figure 9 shows an elevation view of the existing dam with spillway at El 342 and the proposed dam with spillway at El 425. At that height, the raised dam top width would be about 300 feet.

Dam raise construction would generally be done using cranes positioned on the right abutment and on the existing dam (Figure 8). Access would be primarily via existing roads with some new road construction leading to the crane sites and staging areas. The primary staging area would be constructed by clearing an area on the hill north of the dam.

### ***Intake Structure Modifications***


The City is investigating modifications to the existing intake structure in Blue Lake (See Figure 10). The existing intake gate would be replaced with a new intake gate located in the power conduit and operated via a 245-foot vertical shaft (Figure 9). The invert at this gate would be at about El 190, or 12 feet lower than at the existing gate. The new intake gate would be designed for the increased head and would offer a more reliable seal than the existing gate. The existing intake gates and winch house would be removed from service but the intake trash rack would remain in service.

Depending on the outcome of Blue Lake temperature simulations under raised dam depth conditions, the City is evaluating a shallower intake to provide warmer water for aquatic resources in Sawmill Creek and other uses.



BLUE LAKE EXPANSION  
 Existing Dam with 342' Spillway  
 and  
 Proposed Raise with 425' Spillway

**Figure 8. Elevation View of Existing and Expansion-Related Dam at El 425.**



**Figure 9. Plan View of Dam/Intake Area**

### *Affected Reservoir Area and Energy Production*

Inundated area of Blue Lake reservoir would increase by approximately 35 percent with a dam height of El 425 (Table 2, Figure 10). Energy would increase by 35,000 MWh per year or 54 percent.

**Table 2. Potential Energy and Inundated Area for Dam Height of El 425**

<b>Dam Height</b>	<b>Existing Reservoir Surface Area (acres)</b>	<b>Additional Inundated Area (acres)</b>	<b>Additional Inundated Area (percent)</b>	<b>Existing Energy Generation (MWh)</b>	<b>Energy Increase (MWh)</b>	<b>Energy Increase (Percent)</b>
425	1,655	430	35	62,500	35,500	54

### **PROJECT OPERATION**

The City will conduct operations analyses which will retain all operating criteria, including instream flow releases, required under the new license. The City is prepared, using the operations simulation model used during relicensing, to evaluate other operational criteria at the request of resource agencies and other Stakeholders.

### **ALTERNATIVE(S) EVALUATED BUT ELIMINATED FROM FURTHER CONSIDERATION**

Beginning in 2007, the City began feasibility studies to determine how to meet electrical load increases. These studies evaluated hydro, diesel, wind, tidal and geothermal energy. Generally, hydroelectric generation was considered the best alternative. It has a relatively low and predictable incremental cost and a predictable and well-developed regulatory environment. Hydroelectric generation uses very reliable equipment supplied and supported by well-established large scale industry.

Use of diesel generation, as already demonstrated, results in dramatically higher rate-payer costs and has negative air quality and other environmental effects. It is anticipated that additional diesel generation will be required before the Blue Lake Expansion is online and the City is currently seeking to obtain an air quality permit for additional diesel generators. Wind, tidal and geothermal generation are attractive alternatives from an environmental standpoint, but, as untested technologies in Alaska, could not be installed soon enough or at a competitive cost to hydro.

To increase Sitka’s hydroelectric generating capacity in the near term, expansion of the Blue Lake Project makes more sense than expansion of either the Green Lake Project or development of an entirely new hydro project. The Blue Lake Project is to some extent “under installed”



**Figure 10. Plan View of Blue Lake Inundation with water surface at El 425**

relative to Green Lake and has more water inflow than the existing turbines can use. The Blue Lake dam is in a canyon which could geotechnically support a significantly higher dam. The Green Lake project, while having more installed capacity, has a much smaller water inflow located at a site which does not favor adding additional reservoir capacity by dam raising.

The City initially considered the Lake Diana hydroelectric project and applied for a Preliminary Permit (FERC No. 12716) to study the Project in July, 2006. The Preliminary Permit was ultimately surrendered because of Project cost and regulatory/environmental challenges related to developing a project in a designated wilderness area.

The City has a Preliminary Permit for the Takatz Lake Project (FERC No. 13234) on the eastern coast of Baranof Island. This Project, with a proposed 27 MW installed capacity, has been under evaluation by the City for some time. The Takatz Lake Project capacity would be needed if Sitka energy needs continue to grow, but it's construction schedule would be several years beyond that of the Blue Lake Expansion.

The licensing and permitting process for the Takatz Lake project is expected to be much more extensive than amending the existing Blue Lake project license. The Blue Lake expansion, in terms of cost and regulatory feasibility, betters both Lake Diana and Takatz Lake among competing hydro sites.

For these reasons, the City has settled on the Blue Lake expansion as the best alternative to meet Sitka's critical energy needs quickly and at the least cost.

## **ENVIRONMENTAL RESOURCES, ISSUES and RECOMMENDATIONS**

### **AFFECTED ENVIRONMENT**

#### **Description of the Locale**

##### *Physiography*

The Blue Lake Project area is on the west side of Baranof Island, a major component of the Alexander Archipelago in southeast Alaska. Baranof Island, with an area of 1569 square miles, is generally characterized in its northern half by rugged mountainous terrain and by more gentle, but still mountainous topography in its southern half.

In the Project area, the Baranof Mountains rise to heights of over 4300 feet in the Blue Lake basin, and to over 5390 maximum on the island. The Blue Lake basin's topography is the product of both glacial and riverine erosion.

##### *Climate*

The climate in the Project area is characterized as marine, with heavy precipitation and mild temperatures. The Blue Lake Project area's temperature and precipitation differ significantly from data for those factors gathered at the Sitka airport. The airport NOAA weather station

shows that Sitka receives 86 inches of precipitation per year. Temporary rainfall monitoring done in the mountains near the Project powerhouse shows over 105 inches of precipitation per year.

Average monthly temperature at the airport is 43F, and is expected to be somewhat higher than at the Project location. As with precipitation, temperature changes dramatically with elevation and is significantly lower in the mountains than at the elevations of both Blue Lake and Sawmill Creek. No long-term measured data are available for these areas.

## **Geology and Soils**

Geology in the Project area was documented in detail prior to construction of the original dam, tunnel and powerhouse (Athern, 1954). In that report, the authors presented results of both surface investigations and numerous drill holes in the Project area and evaluated subsurface conditions and rock competency.

No more recent geologic or soils information is available for the Project area. No additional geologic or soils surveys were conducted prior to construction of the small hydro features (FVU and PMFU) in the early 1990's. Therefore, information from the Athern report is used in this section.

The lowermost rocks in the Blue Lake area are a series of intricately folded, fractured, and recemented phyllite, graywacke, and argillite beds and lenses. These beds strike approximately North 60 degrees West and either dip very steeply to the southwest or stand vertically. They extend from approximately one mile below the lake outlet to some distance north and east from the inlet to the lake.

Exposed by roadcuts along the highway leading east from Sitka is a layer of volcanic ash that rests on the glaciated bedrock surface. It is dark, chocolate brown in color and varies in thickness from a few inches to about 2.5 ft.

Several light gray dioritic appearing dikes were mapped along the stream channel. Those observed ranged from 1 to 3 feet in width with exposures of limited later extent.

Recent alluvium covers the valley floors, both above the lake and below the outlet to the shore of Silver Bay. The mountain slopes are very steep and overlain by very little overburden of alluvium except where small talus slides will lesser drainage channels.

Considerable major and minor faulting has occurred in the Blue Lake–Sitka area. Two apparently major groups of faults trend northwesterly and easterly. One group of minor faults, no doubt associated with the major faulting, trending approximately east-west.

Geology in the Blue Lake powerhouse area was said to be underlain by the same general sedimentary series. The soil layers in the Blue Lake basin are typically thin in the steep areas due to the steepness of the glacial cirque forming the lake. There are several slides and alluvial areas near the lakeshore. Very little vegetation is apparent due to the lack of soil and harsh

growing conditions around the lake. Soil conditions along the penstock route are similar to those at the lake. The soil in the Blue Lake Creek area is thicker and contains more vegetation.

## Water Resources

### *Blue Lake*

Blue Lake is a 1225 acre water body impounded by the Project dam. Maximum depth of Blue Lake is about 468 feet, placing the lake bottom about 126 feet below sea level. (The Blue Lake basin was carved by glacial activity, resulting in this very deep lakebed point). Blue Lake is generally deeper in the middle and lower (toward the Project dam) areas. Maximum depth at the dam face is 134 feet, but average depth in the upstream end of the lake is only about 20 feet. At maximum pool elevation of El 342, the capacity of Blue Lake is approximately 145,200 acre feet (af).

Clarity of Blue Lake water near the intake is very high, but, due to the glacial source of major inlet streams, is reduced in the upper end of the lake during periods of glacial melt. Most glacial material settles out in the upper areas of the lake.


The quality of Blue Lake water in terms of dissolved solids or pollutants is exceptionally high, as evidenced by the fact that it serves as the City of Sitka’s drinking water supply and requires no additional filtration prior to consumption. The City and Borough of Sitka routinely monitors the quality of Blue Lake water. Typical monitoring results are presented in Table 3. Values for various inorganic, microbiological and volatile organic components are considered quite low.

**Table 3. Representative Concentrations Of Various Blue Lake Organic And Inorganic Contaminants. (City and Borough of Sitka Water and Wastewater Department data for Calendar Year 2003).**

<b>MICROBIOLOGICAL CONTAMINANTS</b>	
<i>Contaminant</i>	<i>Level Detected</i>
<b>Total Coliform Bacteria</b>	<b>None</b>
<b>Turbidity</b>	<b>None</b>
<b>INORGANIC CONTAMINANTS</b>	
<i>Contaminant</i>	<i>Level Detected</i>
<b>Nitrate</b>	<b>1.0 ppm</b>
<b>Flouride</b>	<b>4.0 ppm</b>
<b>Arsenic</b>	<b>NA</b>
<b>Cyanide</b>	<b>0.2 ppm</b>
<b>VOLATILE ORGANIC CONTAMINANTS</b>	
<i>Contaminant</i>	<i>Level Detected</i>
<b>Total Trihalomethane</b>	<b>80 ppb</b>
<b>Bromodichloromethane</b>	<b>NA</b>
<b>Chloroform</b>	<b>NA</b>

<b>Total Haloacetic Acids</b>	<b>60 ppb</b>
-------------------------------	---------------

The temperature of Blue Lake water is somewhat variable, but generally reflects temperature regimes of other large lakes in Southeast Alaska. The City conducted temperature monitoring in Blue Lake and certain of its tributaries during 2002-2005 period (City and Borough of Sitka, 2005, 2006), resulting in data showing that that average surface temperatures vary between 2C and 12C (Figure 11). The 2005 studies indicated that Blue Lake stratified by late summer during the 2005 study season, and that water is uniform in temperature during the winter months.



**Figure 11. Composite Blue Lake Temperatures at Various Depths, 2005 Blue Temperature Studies**

***Sawmill Creek***

Sawmill Creek flows from the base of the Blue Lake Project dam to tidewater, a distance of 2.03 miles. Sawmill Creek is a moderately sized stream relative to others in Southeast Alaska. Average annual flow in Sawmill Creek below the Blue Lake powerhouse is 441 cfs, ranging from an average low of 11 cfs in March to an average high of 1690 cfs which may occur from June to October each year depending on rainfall and snowmelt (Table 4, Figures 12 and 13). Recorded maximum flow in Sawmill Creek was 12,000 cfs in 1992. From the base of the Project dam to low mean sea level, Sawmill Creek descends 210 feet, for an overall gradient of 2 percent.

**Table 4. Maximum and Minimum Average Daily Flows in Sawmill Creek, by Month, for 29-year Period of Record. Original USGS Gage 15088000.**

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<b>Max</b>	<b>2,270</b>	<b>2,410</b>	<b>1,250</b>	<b>1,050</b>	<b>1,640</b>	<b>1,780</b>	<b>2,170</b>	<b>4,940</b>	<b>4,980</b>	<b>5,500</b>	<b>4,430</b>	<b>3,770</b>
<b>Min</b>	<b>24</b>	<b>16</b>	<b>11</b>	<b>14</b>	<b>57</b>	<b>308</b>	<b>311</b>	<b>200</b>	<b>71</b>	<b>84</b>	<b>46</b>	<b>34</b>

Clarity of Sawmill Creek water is generally the same as for Blue Lake, particularly in the stream’s upper reaches, before inflow from tributary sub-basins. Sawmill Creek may carry a moderate sediment load during high flows (greater than 500 cfs) and after major rainstorms. Because of the overall good condition of the watersheds both above and below the Project dam, however, sediment input is moderate.


The quality Sawmill Creek water is also considered to be quite high in terms of dissolved solids, pollutants, although there has been no long-term monitoring of Sawmill Creek water as there has been for Blue Lake. It is expected that Sawmill Creek becomes more turbid in a downstream direction after major rainstorms and that there may be an increase in certain organic solids related to inflow of leaf pack and other detritus.

The City has monitored Sawmill Creek water temperature for approximately 2 years. Based on results of these studies, Sawmill Creek water temperatures range between 2C and 3C at the FVU and between 3C and 12C at the lower staff gage. This temperature regime characterizes Sawmill Creek as quite cold relative to other moderate-sized streams in Southeast Alaska, possibly because of the incised nature of the stream and resultant low solar insolation.


Sawmill Creek temperature is affected by releases from the Project powerhouses (City and Borough of Sitka, 2006b). During spill periods, Sawmill Creek temperature is close to that measured at the Blue Lake surface. During non-spill periods, Sawmill Creek temperature is about the same as that at the level of the Project intake (about 140 feet deep) in Blue Lake (Figure 14). The Blue Lake Project Expansion would affect several water bodies, including Blue Lake, Sawmill Creek, Blue Lake Creek and several small tributaries to Blue Lake.

***Blue Lake Creek***


Blue Lake Creek is Blue Lake’s primary inlet stream, located at the extreme east end of the Lake. Blue Lake Creek arises near the spine of Mount Bassie and flows 4.5 miles to its confluence with Blue Lake. No stream gaging records are available for the stream but 54% of the total Blue Lake drainage area enter Blue Lake via Blue Lake Creek this is an average flow of 238 CFS. Blue Lake Creek’s headwaters from the lake to the upper barrier falls is about 10,000 feet in length, having a gradient of about 1%.



**Figure 12. Pre Blue Lake Project Sawmill Creek Flow Duration Curve**



**Figure 13. Pre-project Average Monthly Sawmill Creek Discharge**



**Figure 14. Sawmill Creek temperature vs. distance in miles.**

**Other Blue Lake Tributaries**

Blue Lake has several other potentially-affected tributaries, all of which are relatively small and short. These tributaries flow from small watersheds in many cases steeply down cliff areas or through high-gradient reaches. No detailed hydrologic or biologic studies have been conducted in these streams. The relative flows in these creeks have been estimated based on drainage areas.

**Blue Lake and Sawmill Creek Water Rights**

Following is a summary of the City & Borough of Sitka’s water rights and allocations for the Blue Lake watershed (Table 5).

**Table 5. Current water rights relating to Blue Lake Project**

<b>Water Right</b>	<b>Use</b>	<b>Amount</b>	<b>Cfs equiv.</b>	<b>MGD equiv.</b>	<b>Af/y equiv.</b>	<b>Status</b>
<b>ADL 51543</b>	Hydro	191.4 mgd	296	191.4	214,343	Certificate
“	Drinking water	8.6 mgd	13.3	8.6	9,631	“
<b>ADL 43826</b>	Public industrial water supply	34,722 af/y	48	31	34,723	Certificate
<b>LAS 19669</b>	Bulk export/	14,000 af/yr	19.4	12.5	14,000	Certificate
“	Hydro	1,000 af/yr	1.4	0.9	1,000	“
<b>LAS 11995</b>	Fish habitat	Varies by month				Application
<b>LAS 13236</b>	FVU*	36,190 af/yr	50	32.3	36,190	Permit
<b>LAS 13237</b>	PMFU	56,000 af/yr	77.4	50	56,000	Permit
<b>LAS 20526</b>	BL/SMC*					

\* These water rights correspond to Blue Lake level and Sawmill Creek release restrictions described in the previous license they are not corrected for the current license The City recently submitted a request to ADNR to amend the language of the various water rights in terms and units consistent with current ADNR practice (acre-feet per year with a maximum diversion rate in cubic feet per second) and to better reflect the City’s current use of Blue Lake water. At the time of this document, these requests are still pending for action at ADNR.

## **Fish and Aquatic Resources**

### ***Sawmill Creek***

Sawmill Creek supports a variety of salmonid and other fish species, including salmon, steelhead and char. Numbers of certain salmon produced in Sawmill Creek are great enough to define Sawmill Creek as a regionally-important base for commercial salmon fisheries. The importance of Sawmill Creek trout and char species to the regional and local sport fisheries is more speculative because Sawmill Creek is not heavily used as a sport fishery relative to other fishing destinations in the region.

Sources of information on Sawmill Creek fisheries distribution, abundance, habitat use and life history include the following:

- Reports by Karl Wolfe of Sitka, a contractor to the City, documenting fish observations and captures in Sawmill Creek during 2001-2004 (Wolfe, 2002-2005);
- A report by the City documenting fish life histories and time (“Periodicity”) for use in the instream flow analyses related to relicensing (City and Borough of Sitka, 2004c);
- The Alaska State Fisheries “Atlas”, a document, comprised of descriptive text and maps, which officially lists and shows the distribution the fish species which inhabit various streams and lakes in a region (ADF&G, 2005).

Information in this section is derived from these source reports and from communications with ADF&G personnel in Sitka regarding Sawmill Creek’s contribution to the area’s commercial and sport fisheries.

### **General Description of Sawmill Creek Fishery Habitats**

Fish sampling was conducted within six stream reaches, established according to differences in fish habitat type, stream gradient or access considerations were developed (Table 6). Several project features referenced in this report are more fully described in the Initial Consultation Document (ICD, City and Borough of Sitka, 2002) and Scoping Document (SD1), City and Borough of Sitka, 2003.

The "Falls" referenced in the Reach designations is at Stream Mile (SM) 0.73 and is a major stream feature approximately 23 feet high. The "Slot", an area in which Sawmill Creek passes through an extremely narrow canyon constriction, is located from SM .95 to SM 1.06, and the FVU is the project powerhouse at SM 1.63 at which minimum stream flows are released into Sawmill Creek.

**Table 6. Sawmill Creek Reach Numbering from Lower Powerhouse Bridge Upstream To Base Of Blue Lake Project Dam.**

<b>Stream Reach and Location (Name)</b>	<b>Identifying Aquatic Habitats and Stream Characteristics</b>
<b>Reach 1 (Index Survey Area)</b>	From Project tailrace-Sawmill Creek confluence (SM 0.32) upstream to top of Index Area. (SM 0.42)
<b>Reach 2</b>	Inlet of Index Pool to the Pulp Mill Feeder Pool (SM 0.53) (Includes Concrete Area)
<b>Reach 3</b>	Pulp Mill Feeder Outflow pool to the base of the Falls (SM 0.73)
<b>Reach 4</b>	From the top of the Falls to the Slot outflow (SM .95)
<b>Reach 5</b>	From Slot outflow to Fish Valve Unit (SM 1.63)
<b>Reach 6</b>	From the Fish Valve Unit to the base of the Project dam (SM 2.03)

**Sawmill Creek Fish Species**

Results of the fisheries studies and reports cited above and accounts of local sport fishers and ADF&G personnel, indicate that six salmonid species utilize Sawmill Creek. Salmonid species listed as utilizing Sawmill Creek are:

<b>Common Name</b>	<b>Scientific Name</b>
Coho salmon	<i>Oncorhynchus kisutch</i>
King salmon	<i>O. tshawytscha</i>
Pink salmon	<i>O. gorbuscha, and</i>
Chum salmon	<i>O. keta</i>
Steelhead trout	<i>O. mykiss;</i>
Dolly Varden char	<i>Salvelinus malma</i>
Arctic grayling	<i>Thymallus arcticus</i>

The only other fish species found in Sawmill Creek were the staghorn sculpin (*Leptocottus armatus*) and prickly sculpin (*Cottus asper*).

No anadromous fish of any species were observed or captured upstream of the Falls at SM 0.73 in the Wolfe studies. The Anadromous Fish Atlas (ADF&G 2005) lists four anadromous fish species in Sawmill Creek: coho, pink and chinook salmon, and steelhead trout. The ADF&G Atlas shows the upstream range of these species in Sawmill Creek to be the vicinity of the Falls.

- **Pink Salmon**

Pink salmon are Sawmill Creek's most abundant species. Average annual pink salmon escapement to Sawmill Creek is greater than 25,000 fish, reaching an observed maximum of over 36,000. Pink salmon have been observed throughout Sawmill Creek to the base of the Falls at SM 0.73 (Wolfe 2002-2005) but are typically most concentrated in the Sawmill Creek delta area downstream of the Blue Lake Powerhouse.

- **Chum Salmon**

Next in relative abundance among Sawmill Creek anadromous salmonids is the chum salmon. Estimated chum salmon numbers in Sawmill Creek have ranged from a low of about 250-300 chum in 2002 to a high of 8,000-9,000 chum in 2004 (Wolfe, 2003-2005). Chum salmon have become regionally important through production in local hatcheries, and increased use of their roe for salmon caviar.

- **King Salmon**

King salmon are usually the next most abundant species of anadromous salmonid in Sawmill Creek. Annual escapements have ranged from about 180 in 2004 to 575 in 2003 (Wolfe 2002-2005). It is generally thought that Sawmill Creek king salmon are strays from a nearby hatchery. Emergency order sport fish regulations encourage the taking of king salmon in Sawmill Creek because of this factor.

In Sawmill Creek, it is believed that king salmon fry rearing is limited due to a general lack of rearing habitat. No king salmon fry have been observed during the five seasons of study (Wolfe, 2002-2005). King salmon may remain in salt water for as many as six years.

- **Coho Salmon**

Although coho salmon have been observed throughout Sawmill Creek to the base of the Blue Lake Project dam at SM 2.03, no juveniles or adults were documented above the Falls at SM 0.73 during relicensing studies. Surveys from 2001-2004 indicated that Sawmill Creek coho numbers vary from a low of approximately 10 fish to possibly as many as 40 individuals during a typical escapement year (Wolfe 2002-2005).

Wolfe (2002-2005) found few juvenile coho in Sawmill Creek. He found relatively numerous juvenile rainbow trout and few Dolly Varden char in the same sampling areas. Sawmill Creek coho populations are probably limited by a lack of rearing habitat.

- **Steelhead Trout**

Steelhead trout are anadromous (ocean-going) variant of rainbow trout. Sawmill Creek steelhead populations have ranged from about 30-40 fish in 2002 and 2004 to 40-50 fish in 2003.

- **Resident Rainbow Trout**

Sawmill Creek fisheries surveys have consistently documented rainbow trout which could be either steelhead or residents. It is not possible, even with sophisticated genetic analyses, to distinguish between fish less than about 250mm. Larger rainbow trout (>250mm) observed in Sawmill Creek, however, are most likely resident. As discussed in the Blue Lake section below, rainbow trout have been introduced into Blue Lake on different occasions since the 1930's, and may have spilled over Blue Lake Project dam into Sawmill Creek.

Sawmill Creek resident rainbow trout are found throughout the stream but are concentrated in the reaches between the Project powerhouse and the base of the dam. Sawmill Creek rainbow trout populations support a moderate sport fishery.

Adult rainbow move to spawning areas in early spring and are through spawning by early summer. Eggs overwinter in the gravel and emerge as fry in September. Juveniles may remain in the creek for the remainder of their life, or become smolts and migrate to the ocean.

Larger resident rainbow trout prefer deeper water habitats in Sawmill Creek, especially those with access to more shallow swift water which provides a food source.

- **Dolly Varden Char**

Wolfe (2002-2005) studies show that Sawmill Creek supports small populations of anadromous and resident Dolly Varden char.

Anadromous Dolly Varden in Sawmill Creek typically begin entering the stream in mid- to late July. Peak numbers of in-migrants were seen Wolfe (2002-2005) in early to late August. Anadromous Dolly Varden are known to follow salmon upstream and to consume salmon eggs shortly after deposition. Dolly Varden numbers tend to decline shortly after the end of the pink and chum salmon runs.

Dolly Varden prefer small to medium gravel for spawning. Incubation probably takes 5- 6 months. Dolly Varden fry emerge from the gravel in April and May and are found near cover elements such as cobbles and boulders.

Sport fishing for Dolly Varden char in Sawmill Creek is mostly coincidental while angling for other species such as king salmon and rainbow trout.

### ***Blue Lake***

The primary fish species in Blue Lake is rainbow trout (*O. mykiss*). It is not known whether rainbow trout were native to the Sawmill Creek watershed prior to stocking by the U.S. Forest Service in 1938 and 1939. During this period 9,000 fry, 200 adult rainbow trout, and 50,000 eggs from Sashin Lake were planted in Blue Lake ( Der Hovanisian 1994) . After this initial planting, 8,800 rainbow trout from the Willamette River in Oregon were released in Blue Lake.

It is assumed that fish from these plantings spilled over the dam creating resident rainbow trout populations in Sawmill Creek. (ADF&G Sitka Sport fish Summary).

The Blue Lake rainbow trout population has been estimated twice in recent years. Der Hovanisian (1994), using mark-recapture techniques, estimated the total Blue Lake rainbow trout population at 4708, ranging from 3197 and 7093 fish. The City and ADF&G conducted a similar mark-recapture study during summer, 2004, which resulted in an initial estimate of 3604, ranging between 2848 and 4361 fish (City and Borough of Sitka Electric Department, 2006a).

The relatively large size and abundance of Blue Lake rainbow make this sport fishery comparable to the best available in southeast Alaska. Access to some extent limits overall fishing effort, but this limitation appears to have a moderating effect on fish take, resulting in both population and sport catch stability.

Blue Lake rainbow trout spawn in lake tributaries and perhaps along shoreline areas with groundwater upwelling. Of Blue Lake's four primary inflow tributaries, the three at the upper (northeastern) end of the lake probably support the majority of rainbow trout spawning. Spawning occurs in late spring and early summer and is usually complete by the beginning of July. Seasonal Blue Lake level does not appear to affect access to spawning tributaries.

## **Wildlife and Botanical Resources**

Wildlife resources are described in this document in three categories: 1) large mammals, 2) small mammals 3) birds. Only three species of large mammals are known to inhabit the Blue Lake basin, including, among large mammals:

<b>Common Name</b>	<b>Scientific Name</b>
Brown bear	<i>Ursus arctos</i>
Mountain goat	<i>Oreamnos americanus</i>
Sitka black-tailed deer	<i>Odocoileus hemionus sitkensis</i>

A variety of small mammal species inhabit Baranof Island and may be found in the Blue Lake basin, including:

<b>Common Name</b>	<b>Scientific Name</b>
River otter	<i>Lutra canadensis</i>
Pine marten	<i>Martes americana</i>
Beaver	<i>Castor canadensis</i>
Mink	<i>Mustela vison</i>
Red squirrel	<i>Tamiasciurus hudsonicus</i>
Common shrew	<i>Sorex cinereus</i>
Tundra vole	<i>Microtus oeconomus</i>

Short-tailed weasel	<i>Mustela erminea</i>
Little brown bat	<i>Myotis lucifigus</i>
Forest deer mouse	<i>Peromyscus keeni</i>

Birds expected to occur in the Project area are:

<b>Common Name</b>	<b>Scientific Name</b>
Bald eagle	<i>Haliaeetus leucocephalus</i>
Dipper (Water ouzel)	<i>Cinclus mexicanus</i>
American merganser	<i>Mergus merganser americanus</i>
Willow ptarmigan	<i>Lagopus lagopus</i>
Rock ptarmigan	<i>Lagopus mutus</i>
Mallard	<i>Anas platyrhynchos</i>
Harlequin duck	<i>Histrionicus histrionicus</i>
Northern goshawk	<i>Accipiter gentilis</i>
Red-tailed hawk	<i>Buteo jamaicensis</i>
Western screech owl	<i>Otus kennicotti</i>
Marbled murrelet.	<i>Brachyramphus marmoratus</i>
Belted kingfisher	<i>Megaceyrle alcyon</i>
Raven	<i>Corvus corax</i>
Spruce hen	<i>Canachites canadensis</i>

During annual migrations, several waterfowl species may use Blue Lake as a resting place, including trumpeter swan, tundra swan, pintail, green-wing teal, hooded merganser, northern shoveler, redhead and lesser and greater scaup, among other less abundant waterfowl species.

### **Wetlands, Riparian, And Littoral Habitat**

While federal and state studies and listing do not show identified wetlands in the potentially-affected Project area, the City intends to conduct a Preliminary Jurisdictional Determination (PJD) to identify wetlands and waters of the US.

### **Recreation And Land Use**

Recreation resources in the Blue Lake Project area are diverse, but, at present, not well documented. The major recreation activities are hiking, hunting, fishing and camping during the spring, summer and fall months.

### ***Sport Fishing***

Sport fishing is popular on both Blue Lake and Sawmill Creek, with Blue Lake offering the greater recreational opportunity. The Blue Lake/Sawmill Creek system offers perhaps the most accessible fresh water sport fishery to Sitka area residents, although access difficulties probably reduce overall recreational use of these areas. Fresh-water sport fishing in the Project area is

primarily done by local area residents; the area is not known to attract large numbers of out-of-region anglers, as does the Sitka area marine king salmon fishery.

Blue Lake reservoir offers excellent rainbow trout fishing, primarily by boat access. The Sport Fish Division of ADF&G conducts post-season surveys of area anglers. Blue Lake surveys from 1984 through 2003 that numbers of Blue Lake anglers ranged from 48 to about 536 per year. Rainbow trout harvest during these years ranged from 47 to 1116. Blue Lake rainbow trout populations, as discussed in the Fish Resources section, above, have remained relatively stable over the past ten years.

Rainbow trout fishing on Blue Lake is to some extent restricted by the lack of easy access, but, since Blue Lake is the City of Sitka's domestic water supply source, heavy recreational use is not encouraged through maintenance of access and boat launch facilities.

Sawmill Creek sport fishing effort is focused on steelhead in spring and early summer and king salmon in mid to late summer. Low steelhead populations in Sawmill Creek and difficult access to the most productive fishing areas limit the catch of this species. Only steelhead greater than 36 inches may be kept. Although no formal numbers are available, it is estimated (from BLU operator angler observations) that approximately 40 to 50 anglers harvest fewer than ten steelhead annually.

Sawmill Creek king salmon fishing has improved recently, due to liberalized early season fisheries for this species. As discussed in the Fish Resources section, above, Sawmill Creek king salmon populations are thought to be largely of hatchery origin and are not likely to spawn in Sawmill Creek, making them favored sport fishing target species.

Fishing for chum and pink salmon, while these species are periodically quite numerous, is not so intense as that for steelhead and king salmon.

Small numbers of local anglers take Dolly Varden char in Sawmill Creek, but numbers and effort are largely unknown.

### ***Hunting***

Sport hunting in the Project area is popular with Sitka area residents. Hunting for Sitka black-tailed deer is probably the most popular pursuit, although numbers of hunters for all big and small game, and birds in the Project area are poorly known. Hunters use the Blue Lake road to provide access to black-tailed deer hunting, most frequently near the US Forest Service campground and Beaver Lake.

Deer hunting is also facilitated by the road to Blue Lake, the Blue Lake access road and subsequent access to shoreline areas. The area surrounding Blue Lake Creek, the primary inflow to Blue Lake in its extreme eastern end is good overwintering habitat for black-tailed deer, but hunting effort in the area is not well documented.

Deer hunting in the Project area is done under both sport and subsistence regulations (subsistence hunting numbers are discussed the section on that resource topic.)

Goat hunting is done primarily by accessing Blue Lake by boat and subsequent hiking to upslope areas of good goat habitat. Goat hunting, like black-tailed deer hunting, is done under both sport hunting and subsistence regulations.

Hunting for small game and birds, primarily ptarmigan, is also done in the Project area. Steep terrain and limited access restrict these activities which are done by more hunters in other areas.

### ***Camping***

Camping in the Project area is limited to the USFS campground (called “Sawmill Creek Campground”) near the FVU. This area offers 11 campsites, restrooms and a parking lot. No RV hookups or other amenities are offered. The approximately 1 acre parking lot adjacent to the campground provides parking for day users and hikers.

While USFS does not keep detailed records of campground use at this location, it is estimated that approximately 1000 people per year use the campground. General usership consists of overnight campers using primarily tents, and to a lesser extent RV’s, and day users seeking to picnic, hike nearby trails, or fish in Sawmill Creek or Beaver Lake.

Significant vehicular travel in the area appears to result from visitors simply driving to and from the campground without leaving their cars. This use may relate to sightseeing along the Blue Lake road which offers dramatic canyon views, and, at the Blue Lake overlook, an expansive view of the lake itself.

Within the area accessible to Sitka area residents and visitors, one other campground, the Starrigavin campground, which offers relatively easy road access. The Starrigavin campground provides for greater annual usership because of its easier access from the main Sitka road system.

### ***Hiking***

The USFS administers the Beaver Lake hiking trail which begins across the Sawmill Creek bridge from the Sawmill Creek campground. This 2 mile trail to Beaver Lake is a popular hiking destination.

During 2004, the City and USFS began a use survey for the trail. Recording traffic counters were installed near the trailhead with the objective of determining number of hikers using the trail by season. In addition to the Beaver Lake traffic counters, the City also installed counters on the Blue Lake road to determine the number of hikers which use the road year around.

## **Land Use Within/Adjacent to Project Boundary**

Land ownership and management within the Project area is complex, particularly in or near the primary transmission line route as it nears the community of Sitka. Generally, however, land ownership in the Project area falls within three major categories: 1) US Forest Service, Tongass National Forest lands; 2) City and Borough of Sitka lands, 3) University of Alaska and Sheldon Jackson University lands, and 4) lands in private ownership (Figure 15) In the Sawmill Cove Industrial Park, various land parcels are leased to industries operating in the Park, including, at the time of this document, the True Alaska Bottling Company, Baranof Frozen Foods, Fortress of the Bears, Silver Bay Seafoods, Sitka Bike and Hike, and Theobroma Chocolate Company.

Land use in the Project area generally follows the major ownership categories listed above. Tongass National Forest lands are managed under the Tongass Land Use Plan (TLMP) Lands under City ownership are used for power generation, water supply and commercial and industrial purposes, each administered by various City offices and departments. Among land use changes which might affect the amendment process is the NSRAA fish hatchery being constructed within the SCIP.

## **Cultural Resources**

Three recent cultural resource investigations have been conducted in the Project Area: 1) The Blue Lake Road was surveyed by Charles Mobley (n.d.), 2) the campground area and site locations along the Sawmill Creek drainage were surveyed by Rabich Campbell (1989), and 3) cultural resources in the Project area were surveyed in 2005 by Paul Rushmore of Wrangell Associates, Wrangell Alaska, (Rushmore, 2005.) Mr. Rushmore's studies included a literature review (including the sources cited above), consultation with

the STA, USFS and ADNR, State Historic Preservation Officer (SHPO) and field surveys within the Area of Potential Effect (APE), defined by the Project Boundary.

In addition, STA conducted interviews with tribal members. Results of the interviews indicated that certain traditional uses, primarily fishing and berry gathering, were impacted by construction of the APC mill and the Blue Lake Project. The interviews did not indicate Project-related impacts on or conflicts with known cultural sites, artifacts or other cultural/historical values known to the interviewees. None of the above surveys disclosed significant archaeological sites and all suggested that there is little potential for archaeological remains in the areas surveyed.

## **Socio-Economic Resources**

Socio-economic effects of the Blue Lake expansion will be primarily on the City and Borough of Sitka, because of lack of population in the immediate Project area. Effects on the population would include those on workforce and economic development. Construction of the new powerhouse and raising the dam would take place over a period of 7 years, fielding a local




Figure 15. Land Use Map, Blue Lake Project Area

workforce of about 30 workers, many of whom could be from Sitka but some of whom would necessarily be from other areas, specifically contractors and specialists familiar with hydroelectric project design and construction.

The primary socio-economic effects would be on Sitka's prevailing electrical energy costs. As discussed earlier, without augmentation of Sitka's current generating capacity, increased load growth without related hydro generation expansion would lead to increased diesel generation, at costs far exceeding those experienced with hydropower generation. Under current load growth forecasts, without additional hydroelectric generating capacity or other access to electricity (such as an electrical intertie), Sitka's economy could be limited and population growth restrained by the cost of power.

### **Scenic and Aesthetic Resources**

The Blue Lake Project area offers a variety of scenic and aesthetic opportunities. From the Blue Lake road turnoff to the Sawmill Creek campground, the drive along the Blue Lake road offers dramatic situations often characterized by exposure above the Sawmill Creek canyon and partial vistas of the surrounding mountains. At the Blue Lake overlook at road's end there is an expansive view of Blue Lake itself and the surrounding mountains. As discussed in the recreation section, it is estimated that considerable visitation in this area is occurs solely for the purpose of sightseeing.

Access on the Blue Lake road is often a factor limiting sightseeing. The road is generally maintained in good condition but may be made impassable by rock fall after landslides or downed trees after windstorms. The road is closed to vehicular traffic each winter due to avalanche dangers but the road is accessible to cross-country skiers, hikers and sledgers. The parking area at the lake overlook is small.

### **Threatened and Endangered Species**

No federally-listed Proposed, Endangered or Threatened (PET) species were found during the Blue Lake relicensing studies. Two species, humpback whale (*Megaptera novaeangliae*) and Stellar sea lion (*Eumetopias jubata*), are listed as respectively endangered and threatened in the marine environments of southeast Alaska. Both species are commonly encountered in Silver Bay and coastal Baranof Island. The marbled murrelet (*Brachyramphus marmoratus*) was noted during the Blue Lake studies, and was recently added to the T&E list for certain areas of southeast Alaska.

The City, prior to amendment application, will complete a Biological Evaluation noting all endangered plant, fish and animal species in the Project area. Further, study plans botanical resources will note special surveys to be conducted for sensitive plants, to be conducted after final Project design.

## **Subsistence Resources**

Section 810 of the Alaska National Interest Lands Conservation Act (ANILCA) of 1980 requires an evaluation of effects to subsistence hunting, fishing, and gathering resources and the subsistence lifestyle for any project that uses federal public lands. Subsistence uses in the Project area include hunting, fishing, berry and other botanical gathering, and taking of certain shellfish.

### ***Subsistence Status of the General Area***

ANILCA created a preference for rural Alaska residents who use subsistence resources on federal public lands. Within the Blue Lake Project area, the USFS, ADF&G and USFWS regulate various aspects of subsistence hunting, fishing and gathering, depending upon the resource and location.

The USFS controls subsistence hunts on its lands and is the only federal land manager involved in the project area. The Alaska Department of Fish and Game (ADF&G) controls hunting by urban, non-resident, and other non-rural hunters on these same lands and on any other land where hunting is allowed.

### ***Federal Public Land Affected***

Federal public land is land owned by the federal government that is open to the public and unencumbered by overlying selection by the State of Alaska or by Native corporations formed under ANILCA. All lands owned or operated by the federal government in the Blue Lake Project area are administered by USFS, Sitka Ranger District, Tongass National Forest. The total area of federal public land within the Project Boundary is about 1676 acres.

### ***Subsistence Communities and Their Resource Use Areas***

The nearest community, Sitka, is approximately 5 miles north of the Project Area. Sitka is a traditional subsistence community as defined by ANILCA or designated by the ADF&G, Board of Fisheries or Board of Game. This classification was recently reviewed because Sitka's population increased beyond the level specified in ANILCA.

In 1996, the ADF&G Division of Subsistence, in cooperation with STA, conducted a household subsistence survey in Sitka (among other southeast communities) to determine the fish, game and other resources used by subsistence users in the community (ADF&G, 1997). The survey showed that almost every Sitka household (97 percent) used at least one species of subsistence resources.

Based on the sample, it is estimated that more than 1,746,463 pounds of wild resources were harvested by Sitka households from February 1, 1996 through January 31, 1997. Overall, the average Sitka household used 572 pounds of wild resources in the survey year, or about 205 pounds per person.

Fish contributed the major portion of the usable weight harvested (55 percent), while land mammals contributed almost 25 percent, marine invertebrates contributed 13 percent and vegetation contributed 3 percent (Table 7).

**Table 7. Estimated Total Subsistence Harvests of Wild Resources, Sitka, by Resource Category, February 1996 - January 1997 (Pounds of Usable Weight)**

<b>Subsistence Resource</b>	<b>Total Pounds Harvested</b>	<b>Mean Pounds Per Household</b>	<b>Pounds Per Person</b>
<b>Fish</b>	953,206	312	112
<b>Land Mammals</b>	434,971	142	51
<b>Birds and Eggs</b>	5,068	1	0.6
<b>Marine Invertebrates</b>	234,496	76	27
<b>Marine Mammals</b>	62,358	20	7
<b>Vegetation</b>	56,362	18	6

## ENVIRONMENTAL ISSUES AND STUDIES

### Fisheries and Aquatic Resources Issues

#### *Issues*

**Issue F1. Effects of dam raising on Blue Lake rainbow trout and their ability to sustain their populations.**

This issue includes effects of the raised water levels on Blue Lake Creek and other Blue Lake tributaries and their potential for rainbow trout spawning.

**Issue F2. Effects of the new powerhouse tailrace on Sawmill Creek anadromous fish populations, as related to attraction flow.**

Hydroelectric project tailrace outflows may differ from those in the adjacent stream channel in terms of water velocity, temperature or other factors. These differing factors may cause migrating salmonids to ascend the tailrace, at least temporarily, instead of the main stream channel. Design and operation of the tailrace may minimize these differences and reduce “false attraction” from the tailrace.

**Issue F3. Effects of construction of Expansion-related features on Blue Lake and Sawmill Creek water quality.**

The Blue Lake Expansion would involve extensive construction in or near Blue Lake and Sawmill Creek, with associated potential for sediment and other materials to affect water

quality. Construction and operation practices will need to be specified to reduce or preclude these construction-related effects on water quality.

#### **Issue F4 . Effects of Ramping Rates.**

Rapid changes of streamflow in the bypassed reach or below the tailrace have the potential to affect fish, particularly certain early life history stages. As was done during the relicensing, ramping rates (the rates at which streamflow may be raised or lowered) will be evaluated as part of the overall Project operation mode.

#### **Issue F5. Effects of Water Temperature on Fish in Sawmill Creek .**

A deeper intake structure relative to the proposed higher dam might reduce water temperature in Sawmill Creek. Colder water might affect all life stages of anadromous and resident fish.

#### **Issue F6. Effects of entrainment at the Blue Lake Intake structure.**

The possibility of entrainment at the new intake will be analyzed, but the City feels that it is unlikely due to the depth of intake and absence of size classes of trout which might be subject to entrainment.

#### **Issue F7. Effects of sedimentation in Blue Lake Creek**

Increasing the elevation of Blue Lake will cause sedimentation in the potentially-inundated areas of Blue Lake Creek. This sedimentation may affect Blue Lake Creek fish habitat significantly. Under this Issue, the City will investigate the potential areas and depths of sedimentation to address effects on rainbow trout spawning other life history stages.

### ***Studies***

During 2008 the City, through an approved contractor, has conducted baseline surveys of fish populations, their habitats and general life histories in potentially-affected water bodies described above. Draft study plans for the various areas were developed in coordination with Alaska state and federal resource agencies, including ADF&G, USFS, NMFS, FWS, NGOs, and affected tribes. General areas for these studies are described below:

#### **Blue Lake and Tributaries**

The City completed approved study plans for Blue Lake Creek and other tributaries to support analyses under Issue F1, above. The study plans include intensive surveys of Blue Lake and its tributaries in terms of fish occurrence and habitat utilization and measurement of physical habitat features including water temperature, stream channel structure, and other habitat features. All

new studies on Blue Lake will be compared with the existing data base for that water body obtained during the recent FERC relicensing process.

### **Sawmill Creek**

Generally, the City proposed to utilize the existing data base for Sawmill Creek in association with observations of fish use and timing. During the 2008 anadromous fish activity season, foot surveys of Sawmill Creek were conducted to generally characterize fish species distribution, abundance and timing, as was done during the relicensing process.

### **Wildlife**

#### ***Issues***

##### **Issue W1. Effects of Blue Lake dam raising on wildlife due to inundation and seasonal access changes.**

Whether raised Blue Lake water levels would inundate seasonal wildlife use in the affected areas, and the extent to which inundation would permanently affect flooded habitat. Of particular concern would be overwintering of mountain goats in the potentially-inundated area.

##### **Issue W2. Effects on mountain goat and black-tailed deer populations of increased access afforded by the dam raise.**

Whether higher Blue Lake water elevations might offer easier boat access than the current situation. Boat launch access is currently restricted due to difficulty in reaching the launch area, even during high water level in the fall. Easier boat access might promote an increase in hunting, particularly for goats and deer in the Blue Lake Creek basin.

##### **Issue W3. Disturbance Effects of Project Construction.**

Whether human access, blasting, excavations or other activities might disturb wildlife during the construction period of the various project expansion activities.

#### ***Studies***

The City expects to utilize existing wildlife study results from the relicensing to provide a baseline for Sawmill Creek canyon. In addition, during 2008, the City's wildlife contractor has completed intensive wildlife and habitat surveys in the potentially-inundated areas of Blue Lake. The contractor will prepare a report due in early 2009 which will include, for the potentially-inundated areas:

- Ground surveys to determine large mammal distribution and abundance, habitat utilization and food habits;
- Small mammal trapping, to determine distribution and relative abundance of small mammals; and
- Visual observations of birds and their nesting and feeding habitats.

## **Botanical Resources**

### *Issues*

#### **Issue BR1. Effects of inundation on plant communities in the Blue Lake Creek and other tributary basins.**

Whether raised lake levels will affect overall local and regional availability of plant communities and their associated wildlife habitats.

#### **Issue BR2. Effects Of Construction and Inundation on Threatened, Endangered, or Sensitive Plant Species.**

Whether construction of Project features such as expected inundation, the new powerhouse, the dam raise, access roads or transmission corridors might affect these plant species.

### *Studies*

The City has extensive aerial imagery of the Blue Lake area, and has conducted a ground-truthed vegetation analysis of Blue Lake within an area approximately 200 feet around the existing high water level. Because of the extensive additional potentially-inundated areas, the City will expand on the current aerial data base. Using existing information and additional field observation as necessary the City will conduct:

- Aerial inventories of vegetative type, primarily from existing imagery extended to include areas potentially inundated after dam raise;
- Foot surveys, to ground-truth the aerial inventories in potentially-inundated areas;
- A Preliminary Jurisdictional Determination (PJD), to determine location, type, function and extent of wetlands, uplands, and Waters of the US in the Project area;

Prior to construction, the City will conduct sensitive plant surveys according to USFS prescriptions in potentially-affected areas delineated in the Project final design.

## **Water Quantity**

### *Issues*

#### **Issue Wquant 1. Effects of Blue Lake Expansion on Water Rights and Related Requirements.**

Whether instream flow or lake level regimes adopted during the license amendment process would affect existing permanent and conditional water rights in the potentially-affected river basins.

### *Studies*

Water quantity studies will include hydrologic studies of streamflow Blue Lake Creek and other Blue Lake tributaries, as deemed necessary. These studies may be based on field data or data synthesized from comparisons with measured data in nearby basins.

## **Water Quality**

### *Issues*

#### **Issue Wqual 1. Effects of Raised Lake Level on Blue Lake Temperature Regimes.**

Whether the raised lake levels might affect the seasonal temperature regime, consequent yearly stratification and other limnological processes in Blue Lake and Sawmill Creek.

#### **Issue Wqual 2. Effect of Project Construction on Water Quality in Blue Lake and Sawmill Creek.**

Whether construction of intake, powerhouse, access road(s) or transmission corridors might affect water quality in these water bodies. Effects might include changes in temperature, sedimentation, fuel spills, erosion or other factors relative to existing state water quality standards.

#### **Issue Wqual 3. Effect of Project Construction on Water Quality in Blue Lake as the City's potable water source.**

Whether construction activities at and around Blue Lake would affect drinking water quality and how the effects may be mitigated.

### *Studies*

Water quality studies generally focus on characterization of the temperature, dissolved oxygen, dissolved solids and clarity (turbidity) of waters affected by the project. These water quality parameters are measured either continuously or periodically (seasonally, daily or weekly), using modern equipment capable of high accuracy and reliability.

The City intends to conduct water quality surveys of both Blue Lake and selected tributaries and Sawmill Creek. The City will determine the exact sampling methods, locations and frequency through the consultation process. Water quality study plans will be reviewed by Alaska state and federal resource agencies, including Alaska Department of Environmental Conservation (ADEC), the agency responsible for water quality standard compliance.

## **Geology and Soils**

### *Issues*

#### **Issue GS1. Geotechnical feasibility of Project works.**

Whether surface and subsurface conditions, including bedrock, soils and slope materials might affect feasibility of construction of Project features as proposed. Including the proposed shoreline of Blue Lake

#### **Issue GS2. Existence of mineral claims.**

Whether ground disturbance or access restrictions associated with Project construction or operation might affect existing mineral claims, especially in previously-noted mining areas.

### *Studies*

As part of the NEPA process, the City will query the Bureau of Land Management for any mineral claims prior to building any structures or otherwise blocking access to potentially valuable deposits. The results of this preliminary study would provide a geotechnical review of any geologic features that would be incorporated into any of the constructed features.

## **Cultural Resources**

### *Issues*

#### **Issue C1. Effects of new powerhouse and Dam Raise Construction on Cultural Resources in the Area of Potential Effect.**

Whether construction-related disturbance might affect previously-unidentified cultural properties. In particular the Pande Basin mine access road

### *Studies*

In compliance with Section 106 of the National Historic Preservation Act, the City will consult with USFS, the SHPO and the federally-recognized Sitka Tribe of Alaska to determine Cultural

resource issues, availability of information, and studies to be performed. In fall, 2008, the City, through an approved contractor, conducted a survey of cultural and historical resources with emphasis on the potentially-inundated areas of Blue Lake.

These surveys were part of a two-Stage process: Stage I involved less-intensive reconnaissance surveys designed to define the direct and indirect impact area of the project and the potential of the areas for containing sites. Stage II surveys were conducted in those areas identified in the stage I surveys as having a reasonable likelihood of containing sites. The scope of all 2008 survey work was determined through an agency and Tribe approved study plan.

## **Scenic and Aesthetic Resources**

### *Issues*

#### **Issue SA 1. Effects of Blue Lake Dam raising construction and long term operation on aesthetic values within the Blue Lake viewshed.**

Whether raising the dam by 83 feet, and associated inundation, would significantly affect the aesthetic values as viewed from both the road terminus and on the lake itself.

#### **Issue SA 2. Effects of the new powerhouse construction and operation on aesthetic values in lower Sawmill Creek.**

Aesthetic values in the Sawmill Creek area are initially lower than those in or near Blue Lake, but are in many areas unique, particularly in the canyon areas in the bypassed reach. Expansion-related aesthetics effects on these areas, while not so extensive as those near Blue Lake will be evaluated.

### *Studies*

The City will research existing aesthetic resource information including the TLMP and ANILCA descriptions and designations to distinguish among aesthetic impacts in the various potentially-affected areas. Viewshed analyses may be available or may be required to evaluate effects in different areas. All constructed Project features will be evaluated relative to USFS and other stakeholder prescriptions for maintenance of aesthetic values.

In addition, a viewshed analysis of Blue Lake from various viewing locations will be conducted. This analysis will utilize computer and photo image based techniques to simulate visual changes related to various dam heights and viewing locations.

## **Socioeconomics**

#### **Issue SE1. Effects of license amendment-related changes for non-developmental resources on economics, particularly electric rates within the Electric Department's service area, and related effects on Sitka cost of living.**

An increase in electric rates might effect the overall quality of life in Sitka through cost impacts on both residences and businesses. Under this issue, the City would evaluate the effects of streamflow and lake level constraints on electrical rates.

### **Threatened and Endangered Species.**

#### **Issue T and E1. Effects of the expansion amendment on threatened and endangered species.**

Section 7 of the Endangered Species Act requires that all federal agencies, in consultation with the US Fish and Wildlife Service and National Marine Fisheries Service ensure that their actions are not likely to jeopardize the continued existence of threatened or endangered species or adversely modify their habitat.

Under this issue, the City will consult with appropriate federal and state agencies to determine whether listed threatened or endangered species might occur within the area potentially affected by Project construction or long-term operation, and, if such species are found, to assure that project expansion does not adversely affect these species.

### **Subsistence Resources**

#### **Issue Sub1. Effects of project expansion on subsistence related resources.**

Alaska statutes identify groups and individuals qualifying to take or otherwise utilize resources for subsistence purposes. Generally, the City believes that Project development will not affect existing or future subsistence uses in the Project area, but will discuss existing uses and their related entitlements in all subsequent environmental and amendment application documents.

## **APPLICABLE COMPREHENSIVE PLANS**

The following five comprehensive state and federal management plans were identified as relevant during the Blue Lake Project relicensing. During the amendment application process, further investigations into relevant plans will be conducted.

1. City of Sitka Comprehensive Plan (CSCP). City and Borough of Sitka;
2. Sitka Coastal Management Plan. Alaska Department of Natural Resources;
3. Tongass Land Use Management Plan. United States Forest Service, Tongass National Forest, Juneau;
4. Northern Southeast Area Plan, Alaska Department of Natural Resources;
5. Sitka Trail Plan, USFS, Sitka Trailworks, City and Borough of Sitka, ADNR, STA, National Park Service, Sitka National Historic Park;
6. Sawmill Cove Industrial Park Plan. City and Borough of Sitka Water Front Development Plan. City and Borough of Sitka; and
7. Sitka Non-Motorized Transportation Plan. City and Borough of Sitka.

During the amendment application process, we plan to fully address enforceable policies and conditions of all plans to determine consistency of Project proposals and alternatives with Plan conditions. We seek any input from the applicable agencies or others which might aid in our review of Comprehensive Plans during amendment application process.

## REFERENCES

- ADF&G. 2006a. Catalog of Waters Specified as Important for the Spawning, Rearing, or Migration of Anadromous Fishes. ADF&G, Anchorage, AK.
- ADF&G. 2006b. Atlas to the Catalog of Waters Specified as Important for the Spawning, Rearing or Migration of Anadromous Fishes. ADF&G, Anchorage AK.
- Alaska Department of Fish and Game, 1997. Wild Food Resource Harvests in Sitka, Results of a Household Survey, 1996. Alaska Department of Fish and Game, Division of Subsistence, Juneau AK. 5pp.
- Athearn, Murray J. 1954. Preliminary Report on the Geology of the Blue Lake Project Near Sitka, Alaska. United States Department of the Interior Bureau of Reclamation, Alaska Geologic Report No. 4, Alaska Investigation Office, Juneau, Alaska 18pp.
- Bovee, Kent. 2005. Wildlife Investigations for 2004-2005. In Support of Blue Lake Project (FERC No. 2230) Relicensing. Prepared For: City And Borough Of Sitka Electric Department, Sitka, AK. June, 2005. 20 pp plus Appendix.
- Bovee, Kent. 2006. Wildlife Investigations for 2005. In Support of Blue Lake Project (FERC No. 2230) Relicensing. Prepared for: City And Borough Of Sitka Electric Department, Sitka, AK. February, 2006. 16 pp plus Appendix.
- City and Borough of Sitka 1990. Application for Amendment of License for the Blue Lake Hydroelectric Project, FERC No. 2230. Prepared by: R.W. Beck and Associates.
- City and Borough of Sitka Electric Department, 2005g. Blue Lake Water Temperature and Rainbow Trout Spawning Studies 2002-2004. Blue Lake Hydroelectric Project FERC No. 2230. City and Borough of Sitka Electric Department, Sitka, Alaska.
- City and Borough of Sitka Electric Department, 2006a (In Press). Population Estimation of Adult Rainbow Trout in Blue Lake Near Sitka, Alaska, 2004. Prepared by: City and Borough of Sitka, Alaska, Electric Department In Support of: Blue Lake Hydroelectric Project (FERC No. 2230) Relicensing
- City and Borough of Sitka Electric Department 2006b. 2005 Sawmill Creek and Blue Lake Water Temperature Studies. Blue Lake Hydroelectric Project, FERC No. 2230. City and Borough of Sitka Electric Department Sitka, Alaska March, 2006.
- de Laguna, F. 1960. The Story of a Tlingit Community: A Problem in the Relationship between Archaeological, Ethnological, and Historical Methods. Bureau of American Ethnology Bulletin No. 172. U.S. Government Printing Office, Washington, D.C.

de Laguna, F. 1991. Tlingit. *In: Handbook of North American Indians, Vol. 7: Northwest Coast*, W. Suttles, ed., pp 203-228. Washington D.C.: Smithsonian Institution.

Der Hovanisian, J. A. 1994. Stock assessment of rainbow trout in a southeast Alaska impoundment. Juneau: University of Alaska. Thesis.

Krause, A. 1956. *The Tlingit Indians: Results of a Trip to the Northwest Coast of America and the Bering Straits*, translated by Erna Gunther. The American Ethnological Society, Monograph 26, University of Washington Press, Seattle.

Rabich-Campbell, C. 1989. An Archaeological Survey of the Blue Lake Small Hydro Additions, Sitka, Alaska. Report prepared for R.W. Beck and Associates, Seattle, WA..

Rushmore, Paul, 2005. Archaeological Assessment of the Blue Lake Project, Sitka, Alaska, Final Report. Prepared for: Blue Lake Hydroelectric Project (FERC No. 2230) Relicensing, City and Borough of Sitka Electric Department, June 1, 2005. Prepared by: Wrangell Research Associates, Wrangell, Alaska. 17pp.

Wolfe, Karl 2002. Fisheries Survey Annual Report, Sawmill Creek, 2001. Blue Lake Project, Federal Energy Regulatory Commission (FERC) No. 2230. City And Borough Of Sitka, Licensee. Prepared By: Karl Wolfe, Sitka, AK. January, 2002. 22pp

Wolfe, Karl. 2003. Sawmill Creek Fisheries Survey Annual Report For 2002 Studies. Blue Lake Project, Federal Energy Regulatory Commission (FERC) No. 2230. City And Borough Of Sitka, Licensee. Prepared By: Karl Wolfe, Sitka AK. March, 2003. 41 Pp

Wolfe, Karl. 2004. Sawmill Creek Fisheries Survey Annual Report For 2003 Studies. Blue Lake Project, Federal Energy Regulatory Commission (FERC) No. 2230. City And Borough Of Sitka, Licensee. Prepared By: Karl Wolfe, Sitka AK., April, 2004, 41pp

Wolfe, Karl. 2005. Sawmill Creek Fisheries Survey Annual Report For 2004 Studies, Blue Lake Project, (FERC) No. 2230. Prepared For: City And Borough Of Sitka Electric Department, Relicensing Agent, March, 2005. 46pp

## PARTICIPANT LIST

### BLUE LAKE EXPANSION AMMENDMENT

City and Borough of Sitka, AK,  
July 8, 2008

Erik Spillman, Lands Specialist  
USDA Forest Service  
204 Siginaka Way  
Sitka, Alaska 99835  
(907) 747-4232  
[espillman@fs.fed.us](mailto:espillman@fs.fed.us)

Heather Woody, Research Biologist  
Sitka Tribe of Alaska  
456 Katlian St.  
Sitka, AK. 99835  
907-747-6506 ext. 10  
[hwoody@sitkatribes.org](mailto:hwoody@sitkatribes.org)

Carole Goularte, District Ranger  
U.S. Forest Service  
204 Siginaka Way  
Sitka, AK 99835  
(907) 747-4218  
[cgoularte@fs.fed.us](mailto:cgoularte@fs.fed.us)

Jim Ferguson  
Hydropower Coordinator  
Alaska Department of Fish and Game  
333 Raspberry Road  
Anchorage, AK. 99518  
907-267-2312  
[jim.ferguson@alaska.gov](mailto:jim.ferguson@alaska.gov)

Roger Birk, R10 Hydropower Team  
U.S. Forest Service  
P.O. Box 21628  
Juneau, AK 99802-1628  
907-586-8843  
[rbirk@fs.fed.us](mailto:rbirk@fs.fed.us)

Shawn Johnson, Fishery Biologist  
Alaska Department of Fish and Game  
Sport Fish Division  
P.O. Box 110024  
Juneau, AK. 99811-0024  
907-465-4302  
[shawn.johnson@alaska.gov](mailto:shawn.johnson@alaska.gov)

Ken Coffin, Supervisory Biologist  
U.S. Forest Service  
204 Siginaka Way  
Sitka, AK 99835  
907-747-4343  
[kcoffin@fs.fed.us](mailto:kcoffin@fs.fed.us)

Bob Chadwick, Area Sport Fish Biologist  
ADF&G  
Sport Fish Division  
304 Lake Street, Room 103  
Sitka, AK. 99835-7563  
907-747-5551  
[Bob.chadwick@alaska.gov](mailto:Bob.chadwick@alaska.gov)

Lisa Gassman  
Sitka Tribe of Alaska  
456 Katlian St.  
Sitka, AK. 99835  
907-747-7500  
[lgassman@sitkatribes.org](mailto:lgassman@sitkatribes.org)

Richard Enriquez  
U.S. Fish and Wildlife Service  
3000 Vintage Boulevard, Suite 201  
Juneau, AK. 99801  
907-780-1162  
[Richard\\_Enriquez@fws.gov](mailto:Richard_Enriquez@fws.gov)

Susan H. Walker  
Marine Resources Specialist  
Habitat Conservation Division  
National Marine Fisheries Service  
P.O. Box 21668  
Juneau, Alaska 99802-1668  
907-586-7646  
[susan.walker@noaa.gov](mailto:susan.walker@noaa.gov)

Erin Allee  
Alaska Department of Natural Resources,  
Alaska Coastal Management Program  
PO box 111030  
Juneau, AK 99811-1030  
907-465-8790  
[erin.allee@alaska.gov](mailto:erin.allee@alaska.gov)

John Dunker  
Alaska Department of Natural Resources  
Division of Water  
400 W. Willoughby Avenue  
Juneau, AK. 99801-1724  
907-465-2533  
[john.dunker@alaska.gov](mailto:john.dunker@alaska.gov)

Jackie Timothy  
Dept. of Natural Resources, OHMP  
P.O. Box 111050  
Juneau, AK. 99811-1050  
(907) 465-4275  
[jackie.timothy@alaska.gov](mailto:jackie.timothy@alaska.gov)

Brenda Krauss  
Alaska Department of Environmental  
Conservation  
Division of Water  
410 Willoughby Ave, Ste. 303  
Juneau, AK. 99801  
907-465-5321  
[Brenda\\_Krauss@dec.state.ak.us](mailto:Brenda_Krauss@dec.state.ak.us)

Judith Bittner  
State Historic Preservation Officer  
550 West Seventh Avenue, Suite 1310  
Anchorage, AK. 99501-3565907-269-8715  
[Judy.Bittner@alaska.gov](mailto:Judy.Bittner@alaska.gov)

Dan Hess  
U.S. Geological Survey  
P.O. Box 1568  
Juneau, AK. 99801  
907-586-7216  
[dlhess@usgs.gov](mailto:dlhess@usgs.gov)

John Klutz  
U.S. Army Corps of Engineers  
P.O. Box 6898  
Elmendorf AFB, AK. 99506-6898  
800-472-2712  
[john.r.klutz@poa02.usace.army.mil](mailto:john.r.klutz@poa02.usace.army.mil)

Andrew Thoms, Executive Director  
Sitka Conservation Society  
Box 6533  
Sitka, AK 99835  
907-747-7509  
[andrew@sitkawild.org](mailto:andrew@sitkawild.org)

Steve Reifenstuhl  
Operations Manager, NSRAA  
1308 Sawmill Creek Road  
Sitka, AK. 99835  
907-747-6850  
[Steve\\_reifenstuhl@nsraa.org](mailto:Steve_reifenstuhl@nsraa.org)

Dean Orbison, Engineer  
City of Sitka, Electric Department  
105 Jarvis Street  
Sitka, Alaska 99835  
907-747-1827  
[deano@cityofsitka.com](mailto:deano@cityofsitka.com)

Marlene Campbell, Special Projects  
Director  
City and Borough of Sitka  
100 Lincoln St.  
Sitka, AK 99835  
907-747-1855  
[Campbell@cityofsitka.com](mailto:Campbell@cityofsitka.com)

Karl Wolfe  
P.O. Box 2796  
Sitka, AK 99835  
907-966-2919  
[wildernesswolfe@alaska.net](mailto:wildernesswolfe@alaska.net)

Mike Prewitt  
8205 Ashworth Avenue North  
Seattle, WA, 98103-4434  
206-525-3483  
[cmikeprewitt@aol.com](mailto:cmikeprewitt@aol.com)

James Dinley, Municipal Administrator  
City and Borough of Sitka  
100 Lincoln St.  
Sitka, AK 99835  
907-747-1808  
[jimdinley@cityofsitka.com](mailto:jimdinley@cityofsitka.com)

Melissa Dinsmore, Lands Specialist  
USDA Forest Service  
204 Siginaka Way  
Sitka, AK 99835  
907-747-4201  
[mdinsmore@fs.fed.us](mailto:mdinsmore@fs.fed.us)

Eric Morrison, Natural Resource Dept  
Sitka Tribe of Alaska  
208 Lake St.  
Sitka, AK 99835  
[emorrison@sitkatribes.org](mailto:emorrison@sitkatribes.org)

Deborah Lyons  
Sitka Trail Works  
801 HPR  
Sitka, AK 99835  
[trail@gci.net](mailto:trail@gci.net)

Sue Schrader  
Southeast Alaska Conservation Council  
419 Sixth St. Suite 200  
Juneau, AK 99801  
907-586-6942  
[sue@seacc.org](mailto:sue@seacc.org)

Kate Kanouse  
Alaska Department of Natural Resources  
Office of Habitat Management and  
Permitting  
400 W. Willoughby Ave.  
4<sup>th</sup> floor  
Juneau, AK 99801  
[kate.kanouse@alaska.gov](mailto:kate.kanouse@alaska.gov)

Monica Matz  
ADF&G  
Sport Fish Division  
304 Lake Street, Room 103  
Sitka, AK. 99835-7563  
907-747-5355  
[monica.matz@alaska.gov](mailto:monica.matz@alaska.gov)

Troy Tydingco  
ADF&G  
Com Fish Division  
304 Lake Street, Room 103  
Sitka, AK. 99835-7563  
907-747-6688  
[troy.tydingco@alaska.gov](mailto:troy.tydingco@alaska.gov)

Paul Carson  
Currents Consulting  
11045 Exeter Ave NE  
Seattle, WA 98125  
206-440-5433  
[paul\\_carson@comcast.net](mailto:paul_carson@comcast.net)

Mark Buggins Environmental Director  
City and Borough of Sitka  
100 Alice Loop  
Sitka, AK 99835  
907-966-2256  
[markb@cityofsitka.com](mailto:markb@cityofsitka.com)

Charlie Walls  
Utility Director  
City of Sitka, Electric Department  
105 Jarvis Street  
Sitka, Alaska 99835  
907-747-1870  
[charlie@cityofsitka.com](mailto:charlie@cityofsitka.com)

William Guey-Lee, Chief  
Engineering & Jurisdiction Branch  
Division of Hydropower Administration &  
Compliance  
888 First St. NE  
Washington, DC 20426  
Phone: 202-502-6064  
Fax: 202-219-2732  
[william.guey-lee@ferc.gov](mailto:william.guey-lee@ferc.gov)

Carrie (McMullen) Bohan  
Environmental Program Specialist III  
Southeast Drinking Water Program Office  
410 Willoughby #303  
Juneau, AK 99801  
(907) 465-5333 phone  
(907) 465-5362 fax  
[Carrie.bohan@alaska.gov](mailto:Carrie.bohan@alaska.gov)

Kent Bovee  
Biologist  
210 A Marine St.  
Sitka, AK 99835  
(907) 752-0710  
[boveek@mail.ssd.k12.ak.us](mailto:boveek@mail.ssd.k12.ak.us)

Floyd Tomkins  
[kaytee@acsalaska.net](mailto:kaytee@acsalaska.net)

Margaret Beilharz  
USFS R10/R6 Hydropower Team  
McKenzie Bridge, OR 97413-9612  
541-822-7228  
[mbeilharz@fs.fed.us](mailto:mbeilharz@fs.fed.us)

Gary Prokosch  
ADNR Water Resources  
[gary.prokosch@alaska.gov](mailto:gary.prokosch@alaska.gov)

Terry Schwarz  
ADNR Water Resources  
[terence.schwarz@alaska.gov](mailto:terence.schwarz@alaska.gov)

David Gann  
DNR DCOM  
[David.gann@alaska.gov](mailto:David.gann@alaska.gov)

Stefanie Ludwig  
DNR  
[Stefanie.Ludwig@alaska.gov](mailto:Stefanie.Ludwig@alaska.gov)

Perry Edwards  
USFS  
204 Siginaka Way  
Sitka, AK 99835  
907-747-4220  
[pedwards@fs.fed.us](mailto:pedwards@fs.fed.us)

Anji Russell  
City of Sitka  
105 Jarvis St.  
Sitka, AK 99835  
[anjulie@cityofsitka.com](mailto:anjulie@cityofsitka.com)

Buck Lindekugel  
Southeast Alaska Conservation Council  
[buck@seacc.org](mailto:buck@seacc.org)

Barth Hamberg  
USFS  
204 Siginaka Way  
Sitka, AK 99835  
907-747-6671  
[bhamberg@fs.fed.us](mailto:bhamberg@fs.fed.us)

Patrick Regan P.E.  
Federal Energy Regulatory Commission  
Portland Regional Office  
101 S.W. Main Street, Suite 905  
Portland, OR. 97204  
(503) 552-2741  
[patrick.regan@ferc.gov](mailto:patrick.regan@ferc.gov)

Kim de Rubertis  
Consulting Engineer  
PO Box 506  
Cashmere, WA 98815  
509-782-3434  
[derubertis@aol.com](mailto:derubertis@aol.com)

Keith Cox  
[marlincox@gmail.com](mailto:marlincox@gmail.com)

Larry Nesheim  
[lnesheim@att.net](mailto:lnesheim@att.net)

John Flory  
[jpfloory@yahoo.com](mailto:jpfloory@yahoo.com)

Justin Nettle  
[justin.nettle@ferc.gov](mailto:justin.nettle@ferc.gov)